



# POORNIMA

---

## COLLEGE OF ENGINEERING

Approved by AICTE  
Affiliated to Rajasthan Technical University, Kota  
Recognized by UGC under Section 2(f) of the UGC Act, 1956

### *4.1.1 Location wise detail of Classrooms and Laboratories with Infrastructure and ICT Facilities*

ISI-6, RIICO Institutional Area, Sitapura, Jaipur-302022 (Rajasthan)  
• Phone: +91-9829255102, +91-9414728922 • E-mail: [principal.pce@poornima.org](mailto:principal.pce@poornima.org)  
• Website: [www.pce.poornima.org](http://www.pce.poornima.org)

**Poornima College of Engineering, Jaipur**

**Infrastructure and ICT Facilities in Classrooms/Laboratories/Tutorials**

| S.No. | Department | Room Id/Name | Room Type (OLD)                           | Area of room in sqm. | Building Name | FLOOR | LED | Tube light | Fan | Computer | AC | Projector | CCTV | Internet Connectivity | Others         |
|-------|------------|--------------|-------------------------------------------|----------------------|---------------|-------|-----|------------|-----|----------|----|-----------|------|-----------------------|----------------|
| 1     | ME         | AB-02        | Computer Aided Design & Manufacturing Lab | 72.91                | SB            | LGF   | 0   | 4          | 5   | 25       | 2  | 1         | 0    | Wi-Fi/LAN             | NA             |
| 2     | ME         | AB-03 (B)    | HOD ROOM                                  | 17.37                | SB            | LGF   | 1   | 1          | 1   | 1        | 0  | 0         | 0    | Wi-Fi/LAN             | 1 Printer      |
| 3     | ME         | AB-03 (A)    | WAITING                                   | 9.45                 | SB            | LGF   | 0   | 1          | 1   | 0        | 0  | 0         | 0    | Wi-Fi                 | NA             |
| 4     | ME         | AB-03 (C)    | BOARD ROOM                                | 26.52                | SB            | LGF   | 0   | 2          | 2   | 0        | 0  | 0         | 0    | Wi-Fi/LAN             | NA             |
| 5     | ME         | AB-04        | LECTURE HALL                              | 76.35                | SB            | LGF   | 0   | 6          | 5   | 1        | 0  | 1         | 2    | Wi-Fi/LAN             | NA             |
| 6     | ME         | AB-05        | SEMINAR HALL                              | 76.87                | SB            | LGF   | 6   | 0          | 9   | 1        | 0  | 1         | 2    | Wi-Fi/LAN             | 1 Audio System |
| 7     | ME         | AB-07 (A)    | Store                                     | 11.63                | SB            | LGF   | 0   | 1          | 1   | 0        | 0  | 0         | 0    |                       | NA             |
| 8     | ME         | AB-06        | Store                                     | 11.49                | SB            | LGF   | 0   | 2          | 1   | 0        | 0  | 0         | 0    |                       | NA             |
| 9     | ME         | AB-07        | UDAAN CLUB                                | 76.35                | SB            | LGF   | 0   | 4          | 5   | 0        | 0  | 0         | 0    | Wi-Fi                 | NA             |
| 10    | ME         | AB-08        | DIGITAL ELECTRONICS & METHATRONICS LAB    | 76.35                | SB            | LGF   | 0   | 4          | 5   | 0        | 0  | 0         | 0    | Wi-Fi                 | NA             |
| 11    | ME         | AB-08 (A)    | FACULTY ROOM                              | 9.97                 | SB            | LGF   | 0   | 1          | 1   | 0        | 0  | 0         | 0    | Wi-Fi/LAN             | NA             |
| 12    | ME         | AB-08 (B)    | FACULTY ROOM                              | 7.07                 | SB            | LGF   | 0   | 1          | 1   | 1        | 0  | 0         | 0    | Wi-Fi/LAN             | NA             |
| 13    | ME         | AB-09 (A)    | Store                                     | 7.07                 | SB            | LGF   | 0   | 1          | 1   | 0        | 0  | 0         | 0    |                       | NA             |
| 14    | ME         | -            | PASSAGE                                   | 44.77                | SB            | LGF   | 0   | 0          | 0   | 0        | 0  | 0         | 0    | Wi-Fi                 | NA             |
| 15    | ME         | -            | PASSAGE                                   | 40.69                | SB            | LGF   | 0   | 0          | 0   | 0        | 0  | 0         | 0    | Wi-Fi                 | NA             |
| 16    | ME         | -            | LOBBY                                     | 57.21                | SB            | LGF   | 0   | 8          | 0   | 0        | 0  | 0         | 0    | Wi-Fi                 | NA             |
| 17    | ME         | AB-01        | MATERIAL TESTING & MECHANISM LAB          | 174.92               | SB            | LGF   | 0   | 6          | 10  | 0        | 0  | 0         | 0    | Wi-Fi                 | NA             |
| 18    | ME         | AB-01 (B)    | FACULTY ROOM                              | 13.33                | SB            | LGF   | 0   | 1          | 1   | 1        | 0  | 0         | 0    | Wi-Fi/LAN             | NA             |
| 19    | ME         | AB-01 (C)    | FACULTY ROOM                              | 11.67                | SB            | LGF   | 0   | 1          | 1   | 1        | 0  | 0         | 0    | Wi-Fi/LAN             | NA             |
| 20    | CE         | AB-14        | COMPUTER LAB-1                            | 56.89                | SB            | LGF   | 0   | 4          | 4   | 24       | 2  | 0         | 1    | Wi-Fi/LAN             | NA             |
| 21    | ME         | AB-01 (D)    | RESEARCH & DEVELOPMENT LAB                | 7.95                 | SB            | LGF   | 0   | 1          | 1   | 1        | 1  | 0         | 0    | Wi-Fi/LAN             | NA             |
| 22    | ME         | AB-01 (A)    | FACULTY ROOM                              | 11.75                | SB            | LGF   | 0   | 1          | 1   | 0        | 0  | 0         | 0    | Wi-Fi/LAN             | NA             |
| 23    | ME         | AB-12 (B)    | FACULTY ROOM                              | 7.95                 | SB            | LGF   | 0   | 1          | 1   | 1        | 0  | 0         | 0    | Wi-Fi/LAN             | NA             |
| 24    | ME         | AB-12 (A)    | FACULTY ROOM                              | 11.75                | SB            | LGF   | 0   | 1          | 1   | 1        | 0  | 0         | 0    | Wi-Fi/LAN             | NA             |
| 25    | ME         | AB-13        | ELECTRICAL STORE ROOM                     | 11.8                 | SB            | LGF   | 0   | 1          | 0   | 0        | 0  | 0         | 0    |                       | NA             |
| 26    | ME         | -            | LOBBY                                     | 18.86                | SB            | LGF   | 0   | 8          | 0   | 0        | 0  | 0         | 0    | Wi-Fi                 | NA             |
| 27    | ME         | AB-12        | ELECTRIC & HYBRID VEHICLE LAB             | 107.05               | SB            | LGF   | 0   | 7          | 6   | 0        | 0  | 0         | 0    | Wi-Fi                 | NA             |
| 28    | ME         | AB-11        | THERMAL ENGINEERING LAB                   | 203.27               | SB            | LGF   | 0   | 16         | 14  | 0        | 0  | 0         | 0    | Wi-Fi                 | NA             |
| 29    | ME         | AB-10        | FLUIDS MECHANICS & MACHINE LAB            | 141.09               | SB            | LGF   | 0   | 11         | 11  | 0        | 0  | 0         | 0    | Wi-Fi                 | NA             |
| 30    | ME         | AB-10 (A)    | STORE                                     | 18.05                | SB            | LGF   | 0   | 1          | 1   | 0        | 0  | 0         | 0    |                       | NA             |
| 31    | ME         | AB-09        | PRODUCTION & INDUSTRIAL ENGINEERING LAB   | 229.16               | SB            | LGF   | 0   | 10         | 14  | 0        | 0  | 0         | 0    | Wi-Fi                 | NA             |
| 32    | ME         | AB-09 (B)    | FOUNDRY SHOP                              | 16.24                | SB            | LGF   | 0   | 1          | 1   | 0        | 0  | 0         | 0    | Wi-Fi                 | NA             |

**Dr. Mahesh Bunde**  
B.E., M.E., Ph.D.

Director

Poornima College of Engineering  
131-0, FICO Institutional Area  
Ghatapada, JAIPUR

|    |           |           |                                 |        |    |     |    |   |   |    |   |   |   |           |           |
|----|-----------|-----------|---------------------------------|--------|----|-----|----|---|---|----|---|---|---|-----------|-----------|
| 33 | ME        | AB-09 (C) | WELDING SHOP                    | 8.24   | SB | LGF | 0  | 1 | 1 | 0  | 0 | 0 | 0 | Wi-Fi     | NA        |
|    |           |           |                                 |        |    |     |    |   |   |    |   |   |   |           |           |
| 34 | IT        | AG-01     | LECTURE HALL                    | 73.25  | SB | UGF | 0  | 2 | 7 | 0  | 0 | 0 | 0 | Wi-Fi/LAN | NA        |
| 35 | IT        | AG-02     | TUTORIAL ROOM                   | 54.23  | SB | UGF | 0  | 3 | 5 | 0  | 0 | 0 | 0 | Wi-Fi     | NA        |
| 36 | IT        | AG-03     | LECTURE HALL                    | 75.17  | SB | UGF | 6  | 0 | 8 | 1  | 0 | 1 | 2 | Wi-Fi/LAN | NA        |
| 37 | IT        | AG-04     | LECTURE HALL                    | 77.82  | SB | UGF | 0  | 3 | 5 | 0  | 0 | 0 | 2 | Wi-Fi/LAN | NA        |
| 38 | IT        | AG-05     | BOYS TOILET                     | 24.87  | SB | UGF | 0  | 1 | 0 | 0  | 0 | 0 | 0 |           | NA        |
| 39 | IT        | AG-06     | GIRLS TOILET                    | 26.25  | SB | UGF | 0  | 1 | 0 | 0  | 0 | 0 | 0 |           | NA        |
| 40 | IT        | AG-08 (A) | REST ROOM                       | 11.57  | SB | UGF | 1  | 2 | 1 | 0  | 0 | 0 | 0 |           | NA        |
| 41 | Institute | AG-07     | EXAM & SECRECY CELL             | 11.57  | SB | UGF | 0  | 2 | 1 | 0  | 1 | 0 | 0 | Wi-Fi     | NA        |
| 42 | Institute | AG-08     | PRINCIPAL ROOM                  | 34.46  | SB | UGF | 3  | 0 | 3 | 0  | 1 | 0 | 0 | Wi-Fi/LAN | NA        |
| 43 | Institute | AG-09     | DIRECTOR ROOM                   | 24.87  | SB | UGF | 5  | 2 | 1 | 0  | 1 | 0 | 0 | Wi-Fi/LAN | NA        |
| 44 | Institute | AG-10     | CORPORATE RELATIONS             | 17.49  | SB | UGF | 6  | 0 | 4 | 0  | 2 | 0 | 0 | Wi-Fi/LAN | NA        |
| 45 | Institute | AG-11     | STAFF PANTRY                    | 24.02  | SB | UGF | 0  | 0 | 0 | 0  | 0 | 0 | 0 | Wi-Fi     | NA        |
| 46 | IT        | AG-25 (C) | COMPUTER LAB                    | 32.6   | SB | UGF | 0  | 4 | 2 | 26 | 2 | 0 | 0 | Wi-Fi/LAN | NA        |
| 47 | IT        | -         | PASSAGE                         | 108.39 | SB | UGF | 0  | 2 | 0 | 0  | 0 | 0 | 0 | Wi-Fi     | NA        |
| 48 | IT        | AG-25 (B) | COMPUTER LAB                    | 36.36  | SB | UGF | 0  | 2 | 2 | 25 | 2 | 0 | 0 | Wi-Fi/LAN | NA        |
| 49 | IT        | AG-25 (A) | COMPUTER LAB                    | 36.36  | SB | UGF | 2  | 2 | 2 | 26 | 2 | 0 | 0 | Wi-Fi/LAN | NA        |
| 50 | IT        | -         | PASSAGE                         | 19.47  | SB | UGF | 1  | 2 | 1 | 0  | 0 | 0 | 0 | Wi-Fi     | NA        |
| 51 | IT        | AG-23     | FACULTY ROOM                    | 15.16  | SB | UGF | 0  | 1 | 1 | 2  | 0 | 0 | 0 | Wi-Fi/LAN | NA        |
| 52 | IT        | AG-22     | FACULTY ROOM                    | 13.95  | SB | UGF | 0  | 1 | 1 | 1  | 0 | 0 | 0 | Wi-Fi/LAN | NA        |
| 53 | IT        | AG-24     | COMPUTER LAB                    | 33     | SB | UGF | 0  | 2 | 2 | 22 | 1 | 0 | 0 | Wi-Fi/LAN | NA        |
| 54 | Institute | AG-27     | ALUMNI OFFICE                   | 39.78  | SB | UGF | 0  | 2 | 3 | 0  | 0 | 0 | 0 | Wi-Fi/LAN | NA        |
| 55 | Institute | AG-21 (B) | BOARD ROOM                      | 35.82  | SB | UGF | 0  | 3 | 2 | 0  | 1 | 0 | 0 | Wi-Fi/LAN | NA        |
| 56 | Institute | AG-21 (A) | HUMAN VALUES ACTIVITIES         | 34.6   | SB | UGF | 0  | 2 | 2 | 0  | 0 | 0 | 0 | Wi-Fi     | NA        |
| 57 | IT        | -         | PASSAGE                         | 22.86  | SB | UGF | 2  | 2 | 1 | 0  | 0 | 0 | 0 | Wi-Fi     | NA        |
| 58 | IT        | AG-19     | FACULTY ROOM                    | 12.47  | SB | UGF | 0  | 2 | 1 | 1  | 0 | 0 | 0 | Wi-Fi/LAN | 1 Printer |
| 59 | IT        | AG-20     | FACULTY ROOM                    | 12.67  | SB | UGF | 0  | 1 | 1 | 1  | 0 | 0 | 0 | Wi-Fi/LAN | 1 Printer |
| 60 | IT        | AG-18     | FACULTY ROOM                    | 24.75  | SB | UGF | 0  | 2 | 2 | 3  | 0 | 0 | 0 | Wi-Fi/LAN | NA        |
| 61 | IT        | AG-17     | FACULTY ROOM                    | 13.14  | SB | UGF | 2  | 0 | 1 | 2  | 1 | 0 | 0 | Wi-Fi/LAN | 1 Printer |
| 62 | IT        | AG-16     | HOD ROOM                        | 11.41  | SB | UGF | 0  | 1 | 1 | 2  | 0 | 0 | 0 | Wi-Fi/LAN | NA        |
| 63 | IT        | -         | PASSAGE                         | 22.86  | SB | UGF | 0  | 0 | 0 | 0  | 0 | 0 | 0 | Wi-Fi     | NA        |
| 64 | Institute | -         | CASHIER                         | 8.21   | SB | UGF | 0  | 1 | 1 | 0  | 0 | 0 | 0 | Wi-Fi/LAN | NA        |
| 65 | Institute | -         | REGISTRAR                       | 14.11  | SB | UGF | 9  | 0 | 5 | 0  | 0 | 0 | 0 | Wi-Fi/LAN | NA        |
| 66 | Institute | -         | ENTRANCE LOBBY                  | 228.17 | SB | UGF | 0  | 1 | 0 | 0  | 0 | 0 | 0 | Wi-Fi     | NA        |
| 67 | Institute | AG-15     | ADMIN OFFICE                    | 48.12  | SB | UGF | 0  | 0 | 0 | 0  | 0 | 0 | 0 | Wi-Fi/LAN | NA        |
| 68 | Institute | AG-14     | REGISTRAR OFFICE                | 26.55  | SB | UGF | 3  | 0 | 2 | 0  | 0 | 0 | 0 | Wi-Fi/LAN | NA        |
| 69 | Institute | AG-13     | CONFERENCE HALL                 | 67.4   | SB | UGF | 16 | 0 | 0 | 0  | 1 | 0 | 0 | Wi-Fi/LAN | NA        |
| 70 | Institute | AG-12     | TRAINING & PLACEMENT OFFICE     | 32.97  | SB | UGF | 0  | 4 | 2 | 0  | 1 | 0 | 0 | Wi-Fi/LAN | NA        |
| 71 | Institute | -         | WAITING AREA FOR ADMINISTRATION | 126.9  | SB | UGF | 11 | 0 | 0 | 0  | 0 | 0 | 0 | Wi-Fi     | NA        |

Dr. Mahesh Bunde

B.E., M.E., Ph.D.

Director

Peernima College of Engineering

131-0, RICO Institutional Area

Slapura, JAIPUR

|     |     |           |                            |        |    |    |   |    |   |    |   |   |   |           |           |
|-----|-----|-----------|----------------------------|--------|----|----|---|----|---|----|---|---|---|-----------|-----------|
| 72  | CSE | AF-01 (C) | COMPUTER LAB               | 44.37  | SB | FF | 0 | 2  | 2 | 25 | 2 | 0 | 0 | Wi-Fi/LAN | NA        |
| 73  | CSE | AF-01 (D) | COMPUTER LAB               | 41.12  | SB | FF | 0 | 2  | 2 | 25 | 2 | 0 | 0 | Wi-Fi/LAN | NA        |
| 74  | CSE | AF-02     | TUTORIAL ROOM              | 54.23  | SB | FF | 0 | 2  | 5 | 0  | 0 | 0 | 0 | Wi-Fi     | NA        |
| 75  | CSE | AF-03     | LECTURE HALL               | 76.35  | SB | FF | 0 | 4  | 5 | 0  | 0 | 1 | 2 | Wi-Fi/LAN | NA        |
| 76  | CSE | AF-04     | LECTURE HALL               | 77.73  | SB | FF | 0 | 4  | 5 | 0  | 0 | 1 | 2 | Wi-Fi/LAN | NA        |
| 77  | CSE | AF-05     | BOYS TOILET                | 24.87  | SB | FF | 0 | 1  | 0 | 0  | 0 | 0 | 0 |           | NA        |
| 78  | CSE | AF-06     | GIRLS TOILET               | 26.25  | SB | FF | 0 | 1  | 0 | 0  | 0 | 0 | 0 |           | NA        |
| 79  | CSE | AF-07     | COMPUTER LAB               | 76.35  | SB | FF | 0 | 2  | 2 | 49 | 2 | 0 | 0 | Wi-Fi/LAN | NA        |
| 80  | CSE | AF-08     | COMPUTER LAB               | 75.49  | SB | FF | 0 | 2  | 2 | 48 | 2 | 0 | 0 | Wi-Fi/LAN | NA        |
| 81  | CSE | AF-01 (E) | SERVER ROOM                | 33.74  | SB | FF | 0 | 2  | 3 | 4  | 1 | 0 | 0 | Wi-Fi/LAN | NA        |
| 82  | CSE | AF-01     | LOBBY                      | 31.27  | SB | FF | 0 | 2  | 1 | 0  | 0 | 0 | 0 | Wi-Fi     | NA        |
| 83  | CSE | AF-15     | TUTORIAL ROOM              | 29.58  | SB | FF | 0 | 2  | 2 | 0  | 0 | 0 | 0 | Wi-Fi     | NA        |
| 84  | CSE | -         | PASSAGE                    | 39     | SB | FF | 0 | 0  | 0 | 0  | 0 | 0 | 0 | Wi-Fi     | NA        |
| 85  | CSE | -         | PASSAGE                    | 19.67  | SB | FF | 0 | 0  | 0 | 0  | 0 | 0 | 0 | Wi-Fi     | NA        |
| 86  | CSE | -         | LOBBY                      | 167.42 | SB | FF | 0 | 0  | 0 | 0  | 0 | 0 | 0 | Wi-Fi     | NA        |
| 87  | CSE | AF-01 (B) | COMPUTER LAB               | 44.37  | SB | FF | 0 | 2  | 2 | 26 | 1 | 0 | 0 | Wi-Fi/LAN | NA        |
| 88  | CSE | AF-01 (A) | COMPUTER LAB               | 41.12  | SB | FF | 0 | 2  | 2 | 25 | 1 | 0 | 0 | Wi-Fi/LAN | NA        |
| 89  | CSE | -         | STORE                      | 8.73   | SB | FF | 0 | 2  | 1 | 0  | 0 | 0 | 0 |           | NA        |
| 90  | CSE | AF-18     | FACULTY ROOM               | 17.02  | SB | FF | 0 | 2  | 1 | 2  | 0 | 0 | 0 | Wi-Fi/LAN | NA        |
| 91  | CSE | AF-14     | TUTORIAL ROOM              | 35.82  | SB | FF | 0 | 2  | 2 | 0  | 0 | 0 | 0 | Wi-Fi     | NA        |
| 92  | CSE | AF-16     | FACULTY ROOM               | 12.94  | SB | FF | 0 | 1  | 1 | 1  | 0 | 0 | 0 | Wi-Fi/LAN | NA        |
| 93  | CSE | AF-17     | FACULTY ROOM               | 12.53  | SB | FF | 0 | 1  | 1 | 1  | 0 | 0 | 0 | Wi-Fi/LAN | NA        |
| 94  | CSE | AF-13     | TUTORIAL ROOM              | 34.6   | SB | FF | 0 | 2  | 2 | 0  | 0 | 0 | 0 | Wi-Fi     | NA        |
| 95  | CSE | -         | PASSAGE                    | 46.71  | SB | FF | 3 | 11 | 0 | 0  | 0 | 0 | 0 | Wi-Fi     | NA        |
| 96  | CSE | -         | PASSAGE                    | 47.56  | SB | FF | 3 | 11 | 0 | 0  | 0 | 0 | 0 | Wi-Fi     | NA        |
| 97  | CSE | AF-12     | EMBEDDED SYSTEM DESIGN LAB | 76.35  | SB | FF | 0 | 3  | 6 | 1  | 0 | 0 | 0 | Wi-Fi     | NA        |
| 98  | CSE | AF-12 (A) | FACULTY ROOM               | 8.2    | SB | FF | 0 | 1  | 1 | 1  | 0 | 0 | 0 | Wi-Fi/LAN | NA        |
| 99  | CSE | AF-12 (B) | FACULTY ROOM               | 10.54  | SB | FF | 0 | 1  | 1 | 1  | 0 | 0 | 0 | Wi-Fi/LAN | NA        |
| 100 | CSE | -         | PASSAGE                    | 51.67  | SB | FF | 0 | 12 | 0 | 0  | 0 | 0 | 0 | Wi-Fi     | NA        |
| 101 | CSE | AF-11     | MICO PROC. LAB             | 76.35  | SB | FF | 0 | 2  | 6 | 0  | 0 | 0 | 0 | Wi-Fi     | NA        |
| 102 | CSE | AF-09     | FACULTY ROOM               | 12.21  | SB | FF | 0 | 1  | 1 | 2  | 0 | 0 | 0 | Wi-Fi/LAN | NA        |
| 103 | CSE | AF-10     | FACULTY ROOM               | 15.8   | SB | FF | 0 | 2  | 1 | 1  | 0 | 0 | 0 | Wi-Fi/LAN | 1 Printer |
| 104 | CSE | AF-11 (A) | FACULTY ROOM               | 13.33  | SB | FF | 0 | 1  | 1 | 1  | 0 | 0 | 0 | Wi-Fi/LAN | NA        |
| 105 | CSE | AF-11 (B) | FACULTY ROOM               | 11.67  | SB | FF | 0 | 1  | 1 | 1  | 0 | 0 | 0 | Wi-Fi/LAN | NA        |
| 106 | CSE | -         | OPEN TARRACE               | 79.65  | SB | FF | 0 | 12 | 0 | 0  | 0 | 0 | 0 | Wi-Fi     | NA        |
| 107 | AC  | AS-02 (A) | COMPUTER LAB               | 39.09  | SB | SF | 0 | 2  | 4 | 26 | 2 | 0 | 0 | Wi-Fi/LAN | 1 Printer |
| 108 | AC  | AS-02 (B) | COMPUTER LAB               | 39.09  | SB | SF | 0 | 1  | 2 | 26 | 1 | 0 | 0 | Wi-Fi/LAN | NA        |
| 109 | AC  | AS-02 (C) | COMPUTER LAB               | 50.61  | SB | SF | 0 | 2  | 3 | 17 | 1 | 0 | 0 | Wi-Fi/LAN | NA        |
| 110 | AC  | AS-03     | LECTURE HALL               | 77.65  | SB | SF | 0 | 4  | 5 | 0  | 0 | 0 | 2 | Wi-Fi/LAN | NA        |
| 111 | AC  | AS-04     | LECTURE HALL               | 77.73  | SB | SF | 0 | 2  | 5 | 0  | 0 | 1 | 2 | Wi-Fi/LAN | NA        |

**Dr. Mahesh Bunde**  
B.E., M.E., Ph.D.  
Director

Peernima College of Engineering  
ISI-6, RICO Institutional Area  
Sitapura, JAIPUR

|     |    |           |                              |        |    |    |   |   |    |   |   |   |   |           |    |
|-----|----|-----------|------------------------------|--------|----|----|---|---|----|---|---|---|---|-----------|----|
| 112 | AC | AS-05     | BOYS TOILET                  | 24.87  | SB | SF | 0 | 1 | 0  | 0 | 0 | 0 | 0 |           | NA |
| 113 | AC | AS-06     | GIRLS TOILET                 | 26.25  | SB | SF | 0 | 1 | 0  | 0 | 0 | 0 | 0 |           | NA |
| 114 | AC | AS-07     | MICRO PROCESSOR              | 74.97  | SB | SF | 0 | 3 | 6  | 0 | 0 | 0 | 0 | Wi-Fi     | NA |
| 115 | AC | AS-08     | EED LAB                      | 80.69  | SB | SF | 0 | 2 | 5  | 0 | 0 | 0 | 0 | Wi-Fi     | NA |
| 116 | AC | AS-01 (C) | FACULTY ROOM                 | 15.8   | SB | SF | 0 | 1 | 1  | 0 | 0 | 0 | 0 | Wi-Fi/LAN | NA |
| 117 | AC | AS-01 (A) | R&D LAB                      | 101.47 | SB | SF | 0 | 3 | 7  | 0 | 0 | 0 | 0 | Wi-Fi     | NA |
| 118 | AC | AS-01 (B) | R&D LAB                      | 69.22  | SB | SF | 0 | 3 | 6  | 0 | 0 | 0 | 0 | Wi-Fi     | NA |
| 119 | AC | AS-18     | SERVER ROOM                  | 14.79  | SB | SF | 0 | 2 | 1  | 0 | 2 | 0 | 0 | Wi-Fi     | NA |
| 120 | AC | AS-17     | FACULTY ROOM                 | 14.32  | SB | SF | 0 | 1 | 1  | 0 | 0 | 0 | 0 | Wi-Fi     | NA |
| 121 | AC | AS-01 (D) | FACULTY ROOM                 | 17.58  | SB | SF | 0 | 1 | 1  | 0 | 0 | 0 | 0 | Wi-Fi     | NA |
| 122 | AC | AS-16     | COMMUNICATION LAB            | 53.92  | SB | SF | 0 | 4 | 3  | 0 | 0 | 0 | 0 | Wi-Fi     | NA |
| 123 | AC | -         | LOBBY                        | 7.87   | SB | SF | 0 | 6 | 0  | 0 | 0 | 0 | 0 | Wi-Fi     | NA |
| 124 | AC | -         | STORE                        | 2.85   | SB | SF | 0 | 0 | 0  | 0 | 0 | 0 | 0 |           | NA |
| 125 | AC | AS-20 (A) | FACULTY ROOM                 | 12.94  | SB | SF | 0 | 1 | 1  | 0 | 0 | 0 | 0 | Wi-Fi     | NA |
| 126 | AC | AS-20 (B) | FACULTY ROOM                 | 12.53  | SB | SF | 0 | 1 | 1  | 0 | 0 | 0 | 0 | Wi-Fi     | NA |
| 127 | AC | AS-16 (A) | FACULTY ROOM                 | 11.87  | SB | SF | 0 | 1 | 1  | 0 | 0 | 0 | 0 | Wi-Fi     | NA |
| 128 | AC | AS-15     | FACULTY ROOM                 | 17.25  | SB | SF | 0 | 2 | 2  | 1 | 0 | 0 | 0 | Wi-Fi/LAN | NA |
| 129 | AC | -         | PASSAGE                      | 39.19  | SB | SF | 0 | 0 | 0  | 0 | 0 | 0 | 0 | Wi-Fi     | NA |
| 130 | AC | -         | LOBBY                        | 121.03 | SB | SF | 0 | 0 | 0  | 0 | 0 | 0 | 0 | Wi-Fi     | NA |
| 131 | AC | -         | PASSAGE                      | 45.23  | SB | SF | 0 | 0 | 0  | 0 | 0 | 0 | 0 | Wi-Fi     | NA |
| 132 | AC | AS-13     | FACULTY ROOM                 | 10.73  | SB | SF | 0 | 1 | 1  | 1 | 0 | 0 | 0 | Wi-Fi/LAN | NA |
| 133 | AC | AS-14 (A) | FACULTY ROOM                 | 10.73  | SB | SF | 0 | 1 | 1  | 0 | 0 | 0 | 0 | Wi-Fi     | NA |
| 134 | AC | AS-14     | W. COMM. LAB, VLSI & OFC LAB | 72.67  | SB | SF | 0 | 2 | 6  | 0 | 0 | 0 | 0 | Wi-Fi     | NA |
| 135 | AC | AS-12     | LAB                          | 48.98  | SB | SF | 0 | 3 | 4  | 0 | 0 | 0 | 0 | Wi-Fi     | NA |
| 136 | AC | AS-11 (A) | FACULTY ROOM                 | 12.86  | SB | SF | 0 | 1 | 1  | 0 | 0 | 0 | 0 | Wi-Fi     | NA |
| 137 | AC | AS-11 (B) | FACULTY ROOM                 | 11.62  | SB | SF | 0 | 1 | 1  | 0 | 0 | 0 | 0 | Wi-Fi     | NA |
| 138 | AC | -         | PASSAGE                      | 22.84  | SB | SF | 0 | 1 | 0  | 0 | 0 | 0 | 0 | Wi-Fi     | NA |
| 139 | AC | AS-09     | TUTORIAL ROOM                | 29.56  | SB | SF | 0 | 1 | 2  | 0 | 0 | 0 | 0 | Wi-Fi     | NA |
| 140 | AC | AS-10     | TUTORIAL ROOM                | 29.56  | SB | SF | 0 | 1 | 2  | 0 | 0 | 0 | 0 | Wi-Fi     | NA |
| 141 | AC | AS-11     | ANALOG ELECTRONICS LAB       | 77.72  | SB | SF | 0 | 2 | 5  | 0 | 0 | 0 | 0 | Wi-Fi     | NA |
| 142 | AC | -         | PASSAGE                      | 38.36  | SB | SF | 0 | 0 | 0  | 0 | 0 | 0 | 0 | Wi-Fi     | NA |
|     |    |           |                              |        |    |    |   |   |    |   |   |   |   |           |    |
| 143 | EE | AT-01     | MICROPROCESSOR LAB           | 77.59  | SB | TF | 0 | 3 | 7  | 0 | 0 | 0 | 0 | Wi-Fi     | NA |
| 143 | EE | AT-02     | DIGITAL ELECTRONICS LAB      | 77.59  | SB | TF | 0 | 2 | 5  | 0 | 0 | 0 | 0 | Wi-Fi     | NA |
| 143 | EE | AT-02 (A) | STORE                        | 12.86  | SB | TF | 0 | 0 | 0  | 0 | 0 | 0 | 0 |           | NA |
| 143 | EE | AT-02 (B) | FACULTY ROOM                 | 12.86  | SB | TF | 0 | 1 | 1  | 1 | 0 | 0 | 0 | Wi-Fi/LAN | NA |
| 143 | EE | AT-03     | TUTORIAL ROOM                | 54.61  | SB | TF | 0 | 2 | 5  | 0 | 0 | 0 | 0 | Wi-Fi     | NA |
| 143 | EE | AT-04     | LECTURE HALL                 | 77.97  | SB | TF | 0 | 3 | 5  | 0 | 0 | 1 | 2 | Wi-Fi/LAN | NA |
| 143 | EE | AT-05     | LECTURE HALL                 | 77.73  | SB | TF | 0 | 3 | 5  | 0 | 0 | 1 | 2 | Wi-Fi/LAN | NA |
| 143 | EE | AT-06     | BOYS TOILET                  | 24.87  | SB | TF | 0 | 1 | 0  | 0 | 0 | 0 | 0 |           | NA |
| 143 | EE | AT-07     | GIRLS TOILET                 | 26.25  | SB | TF | 0 | 1 | 0  | 0 | 0 | 0 | 0 |           | NA |
| 143 | EE | AT-08     | MACHINE LAB                  | 158.76 | SB | TF | 0 | 6 | 11 | 0 | 0 | 0 | 0 | Wi-Fi     | NA |

|     |    |           |                                  |        |    |     |   |   |   |    |   |   |   |           |           |
|-----|----|-----------|----------------------------------|--------|----|-----|---|---|---|----|---|---|---|-----------|-----------|
| 143 | EE | AT-01 (A) | STORE                            | 11.62  | SB | TF  | 0 | 0 | 0 | 0  | 0 | 0 | 0 |           | NA        |
| 143 | EE | AT-01 (B) | FACULTY ROOM                     | 11.62  | SB | TF  | 0 | 1 | 1 | 1  | 0 | 0 | 0 | Wi-Fi/LAN | NA        |
| 143 | EE | AT-20 (B) | COMPUTER LAB                     | 76.59  | SB | TF  | 1 | 1 | 2 | 24 | 2 | 0 | 0 | Wi-Fi/LAN | NA        |
| 143 | EE | AT-18     | FACULTY ROOM                     | 15.54  | SB | TF  | 0 | 2 | 1 | 2  | 0 | 0 | 0 | Wi-Fi/LAN | NA        |
| 143 | EE | AT-17     | FACULTY ROOM                     | 13.57  | SB | TF  | 0 | 2 | 1 | 1  | 0 | 0 | 0 | Wi-Fi/LAN | 1 Printer |
| 143 | EE | -         | PASSAGE                          | 39.18  | SB | TF  | 0 | 0 | 0 | 0  | 0 | 0 | 0 | Wi-Fi     | NA        |
| 143 | EE | -         | LOBBY                            | 121.03 | SB | TF  | 0 | 6 | 0 | 0  | 0 | 0 | 0 | Wi-Fi     | NA        |
| 143 | EE | -         | PASSAGE                          | 45.23  | SB | TF  | 0 | 0 | 0 | 0  | 0 | 0 | 0 | Wi-Fi     | NA        |
| 143 | EE | -         | PASSAGE                          | 22.84  | SB | TF  | 0 | 0 | 0 | 0  | 0 | 0 | 0 | Wi-Fi     | NA        |
| 143 | EE | AT-10     | TUTORIAL ROOM                    | 29.56  | SB | TF  | 0 | 2 | 2 | 0  | 0 | 0 | 0 | Wi-Fi     | NA        |
| 143 | EE | AT-11     | TUTORIAL ROOM                    | 29.56  | SB | TF  | 0 | 2 | 2 | 0  | 0 | 0 | 0 | Wi-Fi     | NA        |
| 143 | EE | AT-13     | ELECTRIC DRIVE LAB               | 48.98  | SB | TF  | 0 | 3 | 4 | 0  | 0 | 0 | 0 | Wi-Fi     | NA        |
| 143 | EE | AT-14     | FACULTY ROOM                     | 10.73  | SB | TF  | 0 | 1 | 1 | 1  | 0 | 0 | 0 | Wi-Fi/LAN | NA        |
| 143 | EE | AT-15 (A) | FACULTY ROOM                     | 10.73  | SB | TF  | 0 | 1 | 1 | 1  | 0 | 0 | 0 | Wi-Fi/LAN | NA        |
| 143 | EE | AT-15     | POWER SYSTEM LAB                 | 72.67  | SB | TF  | 0 | 3 | 6 | 0  | 0 | 0 | 0 | Wi-Fi     | NA        |
| 143 | EE | AT-12 (C) | STORE                            | 12.86  | SB | TF  | 0 | 1 | 1 | 0  | 0 | 0 | 0 |           | NA        |
| 143 | EE | AT-12 (B) | FACULTY ROOM                     | 11.62  | SB | TF  | 0 | 1 | 1 | 1  | 0 | 0 | 0 | Wi-Fi/LAN | NA        |
| 143 | EE | AT-12 (A) | POWER ELECTRONICS LAB            | 77.72  | SB | TF  | 0 | 2 | 6 | 0  | 0 | 0 | 0 | Wi-Fi     | NA        |
| 143 | EE | AT-20 (A) | COMPUTER LAB                     | 75.6   | SB | TF  | 0 | 1 | 2 | 24 | 1 | 0 | 0 | Wi-Fi/LAN | NA        |
| 143 | EE | AT-20 (C) | COMPUTER LAB                     | 34.82  | SB | TF  | 0 | 2 | 3 | 21 | 1 | 0 | 0 | Wi-Fi/LAN | NA        |
| 143 | EE | AT-19     | FACULTY ROOM                     | 22.12  | SB | TF  | 0 | 2 | 3 | 0  | 0 | 0 | 0 | Wi-Fi     | NA        |
| 143 | EE | AT-16     | FACULTY ROOM                     | 11.25  | SB | TF  | 0 | 1 | 1 | 0  | 0 | 0 | 0 | Wi-Fi     | NA        |
| 143 | EE | AT-16 (A) | ELECTRICAL MEASUREMENT LAB       | 70.97  | SB | TF  | 0 | 5 | 6 | 0  | 0 | 0 | 0 | Wi-Fi     | NA        |
| 143 | EE | -         | PASSAGE                          | 38.36  | SB | TF  | 0 | 0 | 0 | 0  | 0 | 0 | 0 | Wi-Fi     | NA        |
|     |    |           |                                  |        |    |     |   |   |   |    |   |   |   |           |           |
| 144 | CE | CB-22     | LECTURE HALL                     | 60.22  | CB | LGF | 0 | 3 | 6 | 0  | 0 | 0 | 0 | Wi-Fi/LAN | NA        |
| 145 | CE | CB-23     | TUTORIAL ROOM                    | 24.14  | CB | LGF | 0 | 2 | 2 | 0  | 0 | 0 | 0 | Wi-Fi     | NA        |
| 146 | ME | CB-24     | HEAT TRANSFER LAB                | 66.27  | CB | LGF | 0 | 3 | 6 | 0  | 0 | 0 | 0 | Wi-Fi     | NA        |
| 147 | CE | CB-21     | LECTURE HALL                     | 63.19  | CB | LGF | 0 | 3 | 6 | 0  | 0 | 1 | 0 | Wi-Fi/LAN | NA        |
| 148 | CE | CB-20     | GEOTECH LAB                      | 55.01  | CB | LGF | 0 | 3 | 6 | 0  | 0 | 0 | 0 | Wi-Fi     | NA        |
| 149 | CE | -         | CORRIDOR                         | 69.59  | CB | LGF | 0 | 4 | 0 | 0  | 0 | 0 | 0 | Wi-Fi     | NA        |
| 150 | ME | CB-25     | FACULTY ROOM                     | 16.86  | CB | LGF | 0 | 2 | 2 | 1  | 0 | 0 | 0 | Wi-Fi/LAN | NA        |
| 151 | ME | CB-26     | DEPARTMENT LIBRARY               | 16.26  | CB | LGF | 0 | 2 | 2 | 1  | 0 | 0 | 0 | Wi-Fi     | NA        |
| 152 | CE | CB-27     | TUTORIAL ROOM                    | 34.81  | CB | LGF | 0 | 2 | 2 | 0  | 0 | 0 | 0 | Wi-Fi     | NA        |
| 153 | CE | CB-28     | BASIC MECHANICAL & VIBRATION LAB | 63.59  | CB | LGF | 0 | 5 | 8 | 0  | 0 | 0 | 0 | Wi-Fi     | NA        |
| 154 | CE | -         | TOILET (LADIES)                  | 39.04  | CB | LGF | 0 | 1 | 0 | 0  | 0 | 0 | 0 |           | NA        |
| 155 | CE | -         | TOILET (GENTS)                   | 18.97  | CB | LGF | 0 | 1 | 0 | 0  | 0 | 0 | 0 |           | NA        |
| 156 | CE | -         | CORRIDOR                         | 15.5   | CB | LGF | 0 | 1 | 0 | 0  | 0 | 0 | 0 | Wi-Fi     | NA        |
| 157 | CE | CB-19     | ELECTRICITY ROOM                 | 9.66   | CB | LGF | 0 | 1 | 0 | 0  | 0 | 0 | 0 | Wi-Fi     | NA        |
| 158 | CE | CB-18     | LIFT                             | 4.83   | CB | LGF | 0 | 0 | 0 | 0  | 0 | 0 | 0 |           | NA        |
| 159 | CE | -         | LOBBY                            | 7.84   | CB | LGF | 0 | 0 | 0 | 0  | 0 | 0 | 0 | Wi-Fi     | NA        |

|     |           |           |                       |       |    |     |   |    |    |   |   |   |   |           |    |
|-----|-----------|-----------|-----------------------|-------|----|-----|---|----|----|---|---|---|---|-----------|----|
| 160 | CE        | -         | OPEN TO SKY           | 33.68 | CB | LGF | 0 | 0  | 0  | 0 | 0 | 0 | 0 | Wi-Fi     | NA |
| 161 | CE        | -         | STORE                 | 4.64  | CB | LGF | 0 | 0  | 0  | 0 | 0 | 0 | 0 |           | NA |
| 162 | CE        | -         | CORRIDOR              | 57.15 | CB | LGF | 0 | 4  | 0  | 0 | 0 | 0 | 0 | Wi-Fi     | NA |
| 163 | CE        | CB-02     | STAFF TOILET (LADIES) | 28.5  | CB | LGF | 0 | 1  | 0  | 0 | 0 | 0 | 0 |           | NA |
| 164 | CE        | CB-02     | STAFF TOILET (GENTS)  | 55.58 | CB | LGF | 0 | 1  | 0  | 0 | 0 | 0 | 0 |           | NA |
| 165 | CE        | CB-02     | FACULTY WASH ROOM     | 13.4  | CB | LGF | 0 | 1  | 0  | 0 | 0 | 0 | 0 |           | NA |
| 166 | CE        | -         | TOILET                | 2.23  | CB | LGF | 1 | 0  | 0  | 0 | 0 | 0 | 0 |           | NA |
| 167 | CE        | CB-03     | FACULTY ROOM          | 9.2   | CB | LGF | 0 | 1  | 0  | 0 | 0 | 0 | 0 | Wi-Fi     | NA |
| 168 | CE        | CB-04     | LECTURE HALL          | 67.82 | CB | LGF | 0 | 6  | 7  | 0 | 0 | 0 | 2 | Wi-Fi/LAN | NA |
| 169 | CE        | CB-05     | LECTURE HALL          | 67.82 | CB | LGF | 0 | 5  | 7  | 0 | 0 | 1 | 2 | Wi-Fi/LAN | NA |
| 170 | CE        | -         | CORRIDOR              | 43.42 | CB | LGF | 0 | 3  | 0  | 0 | 0 | 0 | 0 | Wi-Fi     | NA |
| 171 | CE        | CB-15     | LECTURE HALL          | 74.7  | CB | LGF | 0 | 4  | 8  | 0 | 0 | 1 | 2 | Wi-Fi/LAN | NA |
| 172 | CE        | CB-14     | FACULTY ROOM          | 6.07  | CB | LGF | 0 | 1  | 1  | 0 | 0 | 0 | 0 | Wi-Fi/LAN | NA |
| 173 | CE        | CB-13     | FACULTY ROOM          | 6.38  | CB | LGF | 0 | 1  | 1  | 1 | 0 | 0 | 0 | Wi-Fi/LAN | NA |
| 174 | CE        | CB-12     | FACULTY ROOM          | 7.3   | CB | LGF | 0 | 1  | 1  | 0 | 0 | 0 | 0 | Wi-Fi/LAN | NA |
| 175 | CE        | CB-09     | FACULTY ROOM          | 9.3   | CB | LGF | 0 | 1  | 1  | 1 | 0 | 0 | 0 | Wi-Fi/LAN | NA |
| 176 | CE        | CB-10     | FACULTY ROOM          | 9.77  | CB | LGF | 0 | 1  | 1  | 0 | 0 | 0 | 0 | Wi-Fi/LAN | NA |
| 177 | CE        | CB-11     | FACULTY ROOM          | 11.16 | CB | LGF | 0 | 1  | 1  | 1 | 0 | 0 | 0 | Wi-Fi/LAN | NA |
| 178 | CE        | CB-08     | TUTORIAL ROOM         | 37.45 | CB | LGF | 0 | 2  | 3  | 0 | 0 | 0 | 0 | Wi-Fi     | NA |
| 179 | CE        | -         | OPEN TO SKY           | 34.85 | CB | LGF | 2 | 0  | 0  | 0 | 0 | 0 | 0 | Wi-Fi     | NA |
| 180 | CE        | -         | CORRIDOR              | 21.84 | CB | LGF | 0 | 3  | 0  | 0 | 0 | 0 | 0 | Wi-Fi     | NA |
| 181 | CE        | CB-06     | TUTORIAL ROOM         | 82.59 | CB | LGF | 0 | 8  | 7  | 0 | 0 | 0 | 0 | Wi-Fi     | NA |
| 182 | CE        | CB-07     | STORE                 | 90.17 | CB | LGF | 0 | 5  | 9  | 0 | 0 | 0 | 0 |           | NA |
| 183 | CE        | -         | LOBBY                 | 7.6   | CB | LGF | 0 | 0  | 0  | 0 | 0 | 0 | 0 | Wi-Fi     | NA |
| 184 | CE        | -         | CORRIDOR              | 38.68 | CB | LGF | 0 | 0  | 0  | 0 | 0 | 0 | 0 | Wi-Fi     | NA |
| 185 | CE        | -         | STORE                 | 1.69  | CB | LGF | 0 | 1  | 0  | 0 | 0 | 0 | 0 |           | NA |
| 186 | CE        | -         | LIFT                  | 3.39  | CB | LGF | 0 | 0  | 0  | 0 | 0 | 0 | 0 |           | NA |
|     |           |           |                       |       |    |     |   |    |    |   |   |   |   |           |    |
| 187 | Institute | CG-15     | LIBRARY               | 333.2 | CB | UGF | 0 | 24 | 14 | 0 | 0 | 0 | 0 | Wi-Fi/LAN | NA |
| 188 | CE        | CG-16 (A) | STRUCTURAL LAB        | 68.3  | CB | UGF | 0 | 2  | 6  | 0 | 0 | 0 | 0 | Wi-Fi     | NA |
| 189 | CE        | CG-16 (B) | GOOLOGY LAB           | 43.87 | CB | UGF | 0 | 4  | 8  | 0 | 0 | 0 | 0 | Wi-Fi     | NA |
| 190 | CE        | CG-16 (C) | FACULTY ROOM          | 23.14 | CB | UGF | 0 | 2  | 2  | 2 | 0 | 0 | 0 | Wi-Fi/LAN | NA |
| 191 | CE        | -         | REPORT SECTION        |       | CB | UGF | 0 | 0  | 0  | 0 | 0 | 0 | 0 | Wi-Fi     | NA |
| 192 | CE        | -         | ISSUE COUNTER         |       | CB | UGF | 0 | 0  | 0  | 0 | 0 | 0 | 0 | Wi-Fi     | NA |
| 193 | CE        | -         | LOBBY                 |       | CB | UGF | 0 | 0  | 0  | 0 | 0 | 0 | 0 | Wi-Fi     | NA |
| 194 | CE        | CG-15     | -                     |       | CB | UGF | 0 | 0  | 0  | 0 | 0 | 0 | 0 | Wi-Fi     | NA |
| 195 | CE        | -         | TOILET LADIES         | 39.04 | CB | UGF | 0 | 2  | 0  | 0 | 0 | 0 | 0 |           | NA |
| 196 | CE        | -         | TOILET GENTS          | 18.97 | CB | UGF | 0 | 1  | 0  | 0 | 0 | 0 | 0 |           | NA |
| 197 | CE        | CG-13     | LOBBY                 | 9.66  | CB | UGF | 0 | 0  | 0  | 0 | 0 | 0 | 0 | Wi-Fi     | NA |
| 198 | CE        | -         | CORRIDOR              | 15.5  | CB | UGF | 0 | 5  | 0  | 0 | 0 | 0 | 0 | Wi-Fi     | NA |
| 199 | CE        | -         | STORE ROOM            | 6.09  | CB | UGF | 0 | 0  | 0  | 0 | 0 | 0 | 0 |           | NA |
| 200 | CE        | -         | ELECTRICITY ROOM      | 2.18  | CB | UGF | 0 | 0  | 0  | 0 | 0 | 0 | 0 | Wi-Fi     | NA |

**Dr. Mahesh Bunde**  
B.E., M.E., Ph.D.

Director


Peernima College of Engineering  
ISI-0, FIICO Institutional Area  
Sitapura, JAIPUR



|     |           |           |                   |         |    |     |    |    |    |   |   |   |   |           |                                |
|-----|-----------|-----------|-------------------|---------|----|-----|----|----|----|---|---|---|---|-----------|--------------------------------|
| 201 | CE        | -         | LIFT              | 4.83    | CB | UGF | 0  | 0  | 0  | 0 | 0 | 0 | 0 | NA        |                                |
| 202 | CE        | -         | OPEN TO SKY       | 18.5X20 | CB | UGF | 0  | 0  | 0  | 0 | 0 | 0 | 0 | Wi-Fi     | NA                             |
| 203 | CE        | -         | CORRIDOR          | 57.15   | CB | UGF | 0  | 0  | 0  | 0 | 0 | 0 | 0 | Wi-Fi     | NA                             |
| 204 | CE        | CG-01     | FACULTY WASH ROOM | 13.4    | CB | UGF | 3  | 0  | 0  | 0 | 0 | 0 | 0 |           | NA                             |
| 205 | CE        | CG-02     | FACULTY ROOM      | 9.2     | CB | UGF | 1  | 1  | 1  | 1 | 0 | 0 | 0 |           | 1 Printer                      |
| 206 | CE        | CG-03     | LECTURE HALL      | 67.82   | CB | UGF | 0  | 6  | 7  | 1 | 0 | 1 | 2 | Wi-Fi/LAN | NA                             |
| 207 | CE        | CG-04     | LECTURE HALL      | 67.82   | CB | UGF | 0  | 6  | 7  | 1 | 0 | 1 | 2 | Wi-Fi/LAN | NA                             |
| 208 | CE        | -         | CORRIDOR          | 38.65   | CB | UGF | 1  | 3  | 0  | 0 | 0 | 0 | 0 | Wi-Fi     | NA                             |
| 209 | CE        | CG-11     | LECTURE HALL      | 74.7    | CB | UGF | 0  | 5  | 10 | 0 | 0 | 1 | 2 | Wi-Fi/LAN | NA                             |
| 210 | CE        | CG-10     | FACULTY ROOM      | 6.07    | CB | UGF | 0  | 1  | 1  | 1 | 0 | 0 | 0 | Wi-Fi/LAN | NA                             |
| 211 | CE        | CG-09     | FACULTY ROOM      | 6.38    | CB | UGF | 0  | 1  | 1  | 1 | 0 | 0 | 0 | Wi-Fi/LAN | NA                             |
| 212 | CE        | CG-08     | FACULTY ROOM      | 7.3     | CB | UGF | 0  | 1  | 1  | 1 | 0 | 0 | 0 | Wi-Fi/LAN | NA                             |
| 213 | CE        | -         | LOBBY             | 19.93   | CB | UGF | 0  | 2  | 0  | 0 | 0 | 0 | 0 | Wi-Fi     | NA                             |
| 214 | CE        | CG-06     | FACULTY ROOM      | 11.16   | CB | UGF | 0  | 1  | 1  | 2 | 0 | 0 | 0 | Wi-Fi/LAN | NA                             |
| 215 | CE        | -         | CORRIDOR          | 11.35   | CB | UGF | 0  | 0  | 0  | 0 | 0 | 0 | 0 | Wi-Fi     | NA                             |
| 216 | Institute | CG-05     | SEMINAR HALL      | 172.53  | CB | UGF | 19 | 0  | 21 | 1 | 5 | 1 | 2 | Wi-Fi/LAN | 1 Audio System                 |
| 217 | Institute | CG-07     | FACULTY ROOM      | 37.45   | CB | UGF | 0  | 7  | 2  | 0 | 1 | 0 | 0 | Wi-Fi/LAN | NA                             |
| 218 | CE        | -         | OPEN TO SKY       | 25.2X20 | CB | UGF | 0  | 0  | 0  | 0 | 0 | 0 | 0 | Wi-Fi     | NA                             |
| 219 | CE        | -         | LOBBY             | 7.6     | CB | UGF | 0  | 0  | 0  | 0 | 0 | 0 | 0 | Wi-Fi     | NA                             |
| 220 | CE        | CG-12     | STORE ROOM        | 1.69    | CB | UGF | 0  | 0  | 0  | 0 | 0 | 0 | 0 |           | NA                             |
| 221 | CE        | -         | LIFT              | 3.39    | CB | UGF | 0  | 0  | 0  | 0 | 0 | 0 | 0 |           | NA                             |
| 222 | CE        | -         | CORRIDOR          | 47.98   | CB | UGF | 0  | 0  | 0  | 0 | 0 | 0 | 0 | Wi-Fi     | NA                             |
| 223 | CE        | -         | CORRIDOR          | 71.73   | CB | UGF | 0  | 0  | 0  | 0 | 0 | 0 | 0 | Wi-Fi     | NA                             |
|     |           |           |                   |         |    |     |    |    |    |   |   |   |   |           |                                |
| 224 | Institute | CF-17     | LIBRARY           | 333.2   | CB | FF  | 0  | 24 | 10 | 8 | 0 | 0 | 0 | Wi-Fi/LAN | 1 Printer, 1 Scanner           |
| 225 | Institute | CF-18     | EXAM CELL         | 137     | CB | FF  | 4  | 12 | 7  | 5 | 0 | 0 | 0 | Wi-Fi/LAN | 1 Printer, 1 Photocopy Machine |
| 226 | Institute | -         | TOILET (LADIES)   | 39.04   | CB | FF  | 0  | 1  | 0  | 0 | 0 | 0 | 0 |           | NA                             |
| 227 | Institute | -         | CORRIDOR          | 15.5    | CB | FF  | 0  | 7  | 0  | 0 | 0 | 0 | 0 | Wi-Fi     | NA                             |
| 228 | Institute | CF-17 (A) | LIBRARY OFFICE    | 6.09    | CB | FF  | 0  | 1  | 1  | 0 | 0 | 0 | 0 | Wi-Fi     | NA                             |
| 229 | Institute | CF-16     | ELECTRICITY ROOM  | 2.18    | CB | FF  | 0  | 0  | 0  | 0 | 0 | 0 | 0 | Wi-Fi     | NA                             |
| 230 | CSE       | -         | LIFT              | 4.83    | CB | FF  | 0  | 0  | 0  | 0 | 0 | 0 | 0 |           | NA                             |
| 231 | CSE       | -         | LOBBY             | 7.84    | CB | FF  | 0  | 0  | 0  | 0 | 0 | 0 | 0 | Wi-Fi     | NA                             |
| 232 | CSE       | -         | OPEN TO SKY       | 18.5X20 | CB | FF  | 0  | 0  | 0  | 0 | 0 | 0 | 0 | Wi-Fi     | NA                             |
| 233 | CSE       | -         | CORRIDOR          | 72.01   | CB | FF  | 0  | 3  | 0  | 0 | 0 | 0 | 0 | Wi-Fi     | NA                             |
| 234 | CSE       | -         | CORRIDOR          | 86.08   | CB | FF  | 0  | 0  | 0  | 0 | 0 | 0 | 0 | Wi-Fi     | NA                             |
| 235 | CSE       | -         | FACULTY WASH ROOM | 13.4    | CB | FF  | 1  | 2  | 0  | 0 | 0 | 0 | 0 |           | NA                             |
| 236 | CSE       | CF-02     | FACULTY ROOM      | 9.2     | CB | FF  | 2  | 1  | 1  | 0 | 0 | 0 | 0 | Wi-Fi     | NA                             |
| 237 | CSE       | CF-03     | LECTURE HALL      | 67.82   | CB | FF  | 0  | 6  | 7  | 0 | 0 | 1 | 2 | Wi-Fi/LAN | NA                             |
| 238 | CSE       | CF-04     | LECTURE HALL      | 67.82   | CB | FF  | 0  | 6  | 7  | 0 | 0 | 1 | 2 | Wi-Fi/LAN | NA                             |



|     |           |           |                   |         |    |     |   |    |    |    |   |   |   |           |                |
|-----|-----------|-----------|-------------------|---------|----|-----|---|----|----|----|---|---|---|-----------|----------------|
| 239 | CSE       | -         | CORRIDOR          | 72.05   | CB | FF  | 0 | 3  | 0  | 0  | 0 | 0 | 0 | Wi-Fi     | NA             |
| 240 | CSE       | CF-13     | LECTURE HALL      | 74.7    | CB | FF  | 0 | 4  | 10 | 0  | 0 | 1 | 2 | Wi-Fi/LAN | NA             |
| 241 | CSE       | CF-12     | FACULTY ROOM      | 6.07    | CB | FF  | 0 | 1  | 1  | 1  | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 242 | CSE       | CF-11     | FACULTY ROOM      | 6.38    | CB | FF  | 0 | 1  | 1  | 1  | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 243 | CSE       | CF-10     | FACULTY ROOM      | 7.3     | CB | FF  | 0 | 1  | 1  | 1  | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 244 | CSE       | CF-06     | FACULTY ROOM      | 9.3     | CB | FF  | 0 | 1  | 1  | 0  | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 245 | CSE       | CF-07     | FACULTY ROOM      | 9.77    | CB | FF  | 0 | 1  | 1  | 1  | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 246 | CSE       | CF-08     | FACULTY ROOM      | 11.16   | CB | FF  | 0 | 1  | 1  | 1  | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 247 | CSE       | CF-09     | MEETING ROOM      | 37.45   | CB | FF  | 0 | 2  | 3  | 0  | 0 | 0 | 0 | Wi-Fi     | NA             |
| 248 | CSE       | CF-05     | SEMINAR HALL      | 172.53  | CB | FF  | 0 | 8  | 14 | 1  | 0 | 1 | 2 | Wi-Fi/LAN | 1 Audio System |
| 249 | CSE       | -         | OPEN TO SKY       | 25.2X20 | CB | FF  | 0 | 0  | 0  | 0  | 0 | 0 | 0 | Wi-Fi     | NA             |
| 250 | CSE       | -         | LOBBY             | 7.6     | CB | FF  | 0 | 0  | 0  | 0  | 0 | 0 | 0 | Wi-Fi     | NA             |
| 251 | CSE       | CF-14     | STORE             | 1.59    | CB | FF  | 0 | 0  | 0  | 0  | 0 | 0 | 0 |           | NA             |
| 252 | CSE       | -         | LIFT              | 3.39    | CB | FF  | 0 | 0  | 0  | 0  | 0 | 0 | 0 |           | NA             |
| 253 | CSE       | -         | CORRIDOR          | 78.52   | CB | FF  | 0 | 0  | 0  | 0  | 0 | 0 | 0 | Wi-Fi     | NA             |
|     |           |           |                   |         |    |     |   |    |    |    |   |   |   |           |                |
| 254 | Institute | -         | LIBRARY           | 316.38  | CB | MFP | 0 | 14 | 17 | 3  | 0 | 0 | 2 | Wi-Fi/LAN | NA             |
| 255 | Institute | -         | STORE ROOM        | 6.09    | CB | MFP | 0 | 1  | 1  | 0  | 0 | 0 | 0 |           | NA             |
|     |           |           |                   |         |    |     |   |    |    |    |   |   |   |           |                |
| 256 | AC        | CS-16 (A) | COMPUTER LAB      |         | CB | SF  | 6 | 0  | 3  | 36 | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 257 | AC        | CS-16 (B) | COMPUTER LAB      |         | CB | SF  | 6 | 0  | 3  | 35 | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 258 | AC        | CS-16 (C) | COMPUTER LAB      |         | CB | SF  | 7 | 0  | 3  | 35 | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 259 | AC        | CS-16 (D) | COMPUTER LAB      |         | CB | SF  | 5 | 0  | 4  | 33 | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 260 | AC        | CS-19     | LECTURE HALL      | 68.3    | CB | SF  | 0 | 3  | 6  | 0  | 0 | 0 | 0 | Wi-Fi     | NA             |
| 261 | AC        | CS-18     | LECTURE HALL      | 67.49   | CB | SF  | 0 | 5  | 6  | 0  | 0 | 0 | 0 | Wi-Fi     | NA             |
| 262 | AC        | -         | TOILET (LADIES)   | 39.52   | CB | SF  | 0 | 1  | 0  | 0  | 0 | 0 | 0 |           | NA             |
| 263 | AC        | -         | CORRIDOR          | 17.56   | CB | SF  | 5 | 0  | 0  | 0  | 0 | 0 | 0 | Wi-Fi     | NA             |
| 264 | AC        | CS-17     | ELECTRICITY ROOM  | 2.18    | CB | SF  | 0 | 1  | 0  | 0  | 0 | 0 | 0 | Wi-Fi     | NA             |
| 265 | AC        | -         | LIFT              | 4.83    | CB | SF  | 0 | 0  | 0  | 0  | 0 | 0 | 0 |           | NA             |
| 266 | AC        | -         | LOBBY             | 7.84    | CB | SF  | 0 | 0  | 0  | 0  | 0 | 0 | 0 | Wi-Fi     | NA             |
| 267 | AC        | -         | CORRIDOR          | 68.42   | CB | SF  | 0 | 5  | 0  | 0  | 0 | 0 | 0 | Wi-Fi     | NA             |
| 268 | AC        | -         | OPEN TO SKY       | 18.5X20 | CB | SF  | 0 | 0  | 0  | 0  | 0 | 0 | 0 | Wi-Fi     | NA             |
| 269 | AC        | -         | CORRIDOR          | 86.08   | CB | SF  | 0 | 5  | 0  | 0  | 0 | 0 | 0 | Wi-Fi     | NA             |
| 270 | AC        | CS-01     | FACULTY WASH ROOM | 13.4    | CB | SF  | 1 | 2  | 0  | 0  | 0 | 0 | 0 |           | NA             |
| 271 | AC        | CS-02     | FACULTY ROOM      | 9.2     | CB | SF  | 1 | 1  | 1  | 0  | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 272 | AC        | CS-03     | LECTURE HALL      | 67.82   | CB | SF  | 0 | 5  | 7  | 0  | 0 | 0 | 2 | Wi-Fi/LAN | NA             |
| 273 | AC        | CS-04     | LECTURE HALL      | 67.82   | CB | SF  | 0 | 5  | 7  | 0  | 0 | 0 | 2 | Wi-Fi/LAN | NA             |
| 274 | AC        | -         | CORRIDOR          | 72.05   | CB | SF  | 0 | 3  | 0  | 0  | 0 | 0 | 0 | Wi-Fi     | NA             |
| 275 | AC        | CS-13     | LECTURE HALL      | 74.7    | CB | SF  | 0 | 4  | 10 | 0  | 0 | 1 | 2 | Wi-Fi/LAN | NA             |
| 276 | AC        | CS-10     | FACULTY ROOM      | 6.07    | CB | SF  | 0 | 1  | 1  | 1  | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 277 | AC        | CS-11     | FACULTY ROOM      | 6.38    | CB | SF  | 0 | 1  | 1  | 0  | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 278 | AC        | CS-12     | FACULTY ROOM      | 7.3     | CB | SF  | 0 | 1  | 1  | 0  | 0 | 0 | 0 | Wi-Fi/LAN | NA             |

  
**Dr. Mahesh Bunde**  
 B.E., M.E., Ph.D.  
 Director  
 Poornima College of Engineering  
 ISI-6, RICO Institutional Area  
 Sitapura, JAIPUR

|     |     |           |                        |         |    |    |   |    |    |   |   |   |   |           |                |
|-----|-----|-----------|------------------------|---------|----|----|---|----|----|---|---|---|---|-----------|----------------|
| 279 | AC  | CS-06     | FACULTY ROOM           | 9.3     | CB | SF | 0 | 1  | 1  | 0 | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 280 | AC  | CS-07     | FACULTY ROOM           | 9.77    | CB | SF | 0 | 1  | 1  | 1 | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 281 | AC  | CS-08     | FACULTY ROOM           | 11.16   | CB | SF | 0 | 1  | 2  | 2 | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 282 | AC  | CS-09     | HOD ROOM               | 37.45   | CB | SF | 0 | 3  | 3  | 0 | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 283 | AC  | CS-05     | SEMINAR HALL           | 172.53  | CB | SF | 0 | 10 | 14 | 1 | 0 | 1 | 2 | Wi-Fi/LAN | 1 Audio System |
| 284 | AC  | -         | OPEN TO SKY            | 25.2X20 | CB | SF | 0 | 0  | 0  | 0 | 0 | 0 | 0 | Wi-Fi     | NA             |
| 285 | AC  | -         | LOBBY                  | 7.6     | CB | SF | 0 | 0  | 0  | 0 | 0 | 0 | 0 | Wi-Fi     | NA             |
| 286 | AC  | CS-14     | STORE                  | 1.69    | CB | SF | 0 | 0  | 0  | 0 | 0 | 0 | 0 |           | NA             |
| 287 | AC  | -         | LIFT                   | 3.39    | CB | SF | 0 | 0  | 0  | 0 | 0 | 0 | 0 |           | NA             |
| 288 | AC  | -         | CORRIDOR               | 78.52   | CB | SF | 0 | 0  | 0  | 0 | 0 | 0 | 0 | Wi-Fi     | NA             |
|     |     |           |                        |         |    |    |   |    |    |   |   |   |   |           |                |
| 289 | ECE | CT-21     | LECTURE HALL           | 56.33   | CB | TF | 0 | 3  | 7  | 0 | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 290 | ECE | CT-22     | LECTURE HALL           | 59.28   | CB | TF | 0 | 4  | 6  | 0 | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 291 | ECE | CT-23     | LECTURE HALL           | 63.18   | CB | TF | 0 | 3  | 6  | 0 | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 292 | ECE | CT-20     | LECTURE HALL           | 59.03   | CB | TF | 0 | 4  | 7  | 0 | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 293 | ECE | CT-19     | INDUSTRY SUPPORTED LAB | 33.4    | CB | TF | 0 | 2  | 2  | 0 | 0 | 0 | 0 | Wi-Fi     | NA             |
| 294 | ECE | CT-17 (C) | DARK ROOM              | 34.97   | CB | TF | 0 | 2  | 2  | 0 | 0 | 0 | 0 |           | NA             |
| 295 | ECE | CT-17     | PROJECT LAB            | 60.79   | CB | TF | 0 | 4  | 6  | 0 | 0 | 0 | 0 | Wi-Fi     | NA             |
| 296 | ECE | CT-18     | PROJECT LAB            | 46.08   | CB | TF | 0 | 4  | 4  | 0 | 0 | 0 | 0 | Wi-Fi     | NA             |
| 297 | ECE | CT-15     | TOILET (LADIES)        | 39.52   | CB | TF | 0 | 1  | 0  | 0 | 0 | 0 | 0 |           | NA             |
| 298 | ECE | -         | CORRIDOR               | 17.56   | CB | TF | 0 | 0  | 0  | 0 | 0 | 0 | 0 | Wi-Fi     | NA             |
| 299 | ECE | CT-18 (B) | FACULTY ROOM           | 7.28    | CB | TF | 0 | 1  | 1  | 0 | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 300 | ECE | CT-18 (A) | FACULTY ROOM           | 7.28    | CB | TF | 0 | 1  | 1  | 0 | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 301 | ECE | CT-17 (B) | FACULTY ROOM           | 6.67    | CB | TF | 0 | 1  | 1  | 1 | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 302 | ECE | CT-17 (A) | FACULTY ROOM           | 6.81    | CB | TF | 0 | 1  | 1  | 0 | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 303 | ECE | CT-16     | ELECTRICITY ROOM       | 2.18    | CB | TF | 0 | 1  | 0  | 0 | 0 | 0 | 0 | Wi-Fi     | NA             |
| 304 | ECE | -         | LIFT                   | 4.83    | CB | TF | 0 | 0  | 0  | 0 | 0 | 0 | 0 |           | NA             |
| 305 | ECE | -         | LOBBY                  | 7.84    | CB | TF | 0 | 0  | 0  | 0 | 0 | 0 | 0 | Wi-Fi     | NA             |
| 306 | ECE | -         | OPEN TO SKY            | 18.5X20 | CB | TF | 0 | 0  | 0  | 0 | 0 | 0 | 0 | Wi-Fi     | NA             |
| 307 | ECE | -         | CORRIDOR               | 68.42   | CB | TF | 0 | 5  | 0  | 0 | 0 | 0 | 0 | Wi-Fi     | NA             |
| 308 | ECE | -         | CORRIDOR               | 86.08   | CB | TF | 0 | 7  | 0  | 0 | 0 | 0 | 0 | Wi-Fi     | NA             |
| 309 | ECE | CT-01     | FACULTY WASH ROOM      | 13.4    | CB | TF | 2 | 1  | 0  | 0 | 0 | 0 | 0 |           | NA             |
| 310 | ECE | CT-02     | FACULTY ROOM           | 9.2     | CB | TF | 1 | 1  | 1  | 1 | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 311 | ECE | CT-03     | LECTURE HALL           | 67.82   | CB | TF | 0 | 6  | 7  | 0 | 0 | 1 | 2 | Wi-Fi/LAN | NA             |
| 312 | ECE | CT-04     | LECTURE HALL           | 67.82   | CB | TF | 0 | 6  | 7  | 0 | 0 | 1 | 2 | Wi-Fi/LAN | NA             |
| 313 | ECE | -         | CORRIDOR               | 72.05   | CB | TF | 0 | 5  | 0  | 0 | 0 | 0 | 0 | Wi-Fi     | NA             |
| 314 | ECE | CT-13     | LECTURE HALL           | 74.7    | CB | TF | 0 | 5  | 10 | 0 | 0 | 1 | 2 | Wi-Fi/LAN | NA             |
| 315 | ECE | CT-10     | FACULTY ROOM           | 7.3     | CB | TF | 0 | 1  | 1  | 1 | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 316 | ECE | CT-11     | FACULTY ROOM           | 6.38    | CB | TF | 0 | 2  | 1  | 1 | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 317 | ECE | CT-12     | FACULTY ROOM           | 6.07    | CB | TF | 0 | 2  | 1  | 1 | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 318 | ECE | CT-06     | FACULTY ROOM           | 9.3     | CB | TF | 0 | 1  | 1  | 2 | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 319 | ECE | CT-07     | FACULTY ROOM           | 9.77    | CB | TF | 0 | 1  | 1  | 0 | 0 | 0 | 0 | Wi-Fi/LAN | NA             |

|     |           |           |                                      |         |    |     |   |    |    |    |   |   |   |           |                |
|-----|-----------|-----------|--------------------------------------|---------|----|-----|---|----|----|----|---|---|---|-----------|----------------|
| 320 | ECE       | CT-08     | FACULTY ROOM                         | 11.16   | CB | TF  | 0 | 1  | 1  | 2  | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 321 | ECE       | CT-09     | HOD ROOM                             | 37.45   | CB | TF  | 0 | 4  | 3  | 1  | 0 | 0 | 0 | Wi-Fi/LAN | 1 Printer      |
| 322 | ECE       | CT-05     | SEMINAR HALL                         | 172.53  | CB | TF  | 0 | 9  | 15 | 1  | 0 | 1 | 2 | Wi-Fi/LAN | 1 Audio System |
| 323 | ECE       | -         | OPEN TO SKY                          | 25.2X20 | CB | TF  | 0 | 0  | 0  | 0  | 0 | 0 | 0 | Wi-Fi     | NA             |
| 324 | ECE       | -         | LOBBY                                | 7.6     | CB | TF  | 0 | 0  | 0  | 0  | 0 | 0 | 0 | Wi-Fi     | NA             |
| 325 | ECE       | CT-14     | STORE ROOM                           | 1.69    | CB | TF  | 0 | 0  | 0  | 0  | 0 | 0 | 0 |           | NA             |
| 326 | ECE       | -         | LIFT                                 | 3.39    | CB | TF  | 0 | 0  | 0  | 0  | 0 | 0 | 0 |           | NA             |
| 327 | ECE       | -         | CORRIDOR                             | 78.52   | CB | TF  | 5 | 0  | 0  | 0  | 0 | 0 | 0 | Wi-Fi     | NA             |
|     |           |           |                                      |         |    |     |   |    |    |    |   |   |   |           |                |
| 328 | Institute | -         | ELECTRICITY ROOM                     | 2.18    | CB | TFP | 0 | 0  | 0  | 0  | 0 | 0 | 0 | Wi-Fi     | NA             |
| 329 | Institute | -         | LIFT                                 | 4.83    | CB | TFP | 0 | 0  | 0  | 0  | 0 | 0 | 0 |           | NA             |
| 330 | Institute | -         | LOBBY                                | 7.84    | CB | TFP | 0 | 0  | 0  | 0  | 0 | 0 | 0 | Wi-Fi     | NA             |
| 331 | Institute | -         | OPEN TO SKY                          | 18.5X20 | CB | TFP | 0 | 0  | 0  | 0  | 0 | 0 | 0 | Wi-Fi     | NA             |
| 332 | Institute | -         | OPEN TO SKY                          | 25.2X20 | CB | TFP | 0 | 0  | 0  | 0  | 0 | 0 | 0 | Wi-Fi     | NA             |
| 333 | Institute | -         | LOBBY                                | 7.6     | CB | TFP | 0 | 0  | 0  | 0  | 0 | 0 | 0 | Wi-Fi     | NA             |
| 334 | Institute | -         | STORE ROOM                           | 1.69    | CB | TFP | 0 | 0  | 0  | 0  | 0 | 0 | 0 |           | NA             |
| 335 | Institute | -         | LIFT                                 | 3.39    | CB | TFP | 0 | 0  | 0  | 0  | 0 | 0 | 0 |           | NA             |
|     |           |           |                                      |         |    |     |   |    |    |    |   |   |   |           |                |
| 336 | FY        | MB-01 (A) | NSP LAB & CARPENTRY SHOP             | 177.69  | WB | LGF | 0 | 8  | 9  | 0  | 0 | 0 | 0 | Wi-Fi     | NA             |
| 337 | FY        | MB-02 (A) | FOUNDRY SHOP                         | 74.87   | WB | LGF | 0 | 4  | 4  | 0  | 0 | 0 | 0 | Wi-Fi     | NA             |
| 338 | FY        | MB-02 (B) | MACHINE & FITTING SHOP               | 134.08  | WB | LGF | 0 | 6  | 8  | 0  | 0 | 0 | 0 | Wi-Fi     | NA             |
| 339 | FY        | -         | STORE                                | 17.18   | WB | LGF | 0 | 0  | 0  | 0  | 0 | 0 | 0 |           | NA             |
| 340 | FY        | -         | STORE                                | 19.42   | WB | LGF | 0 | 2  | 3  | 0  | 0 | 0 | 0 |           | NA             |
| 341 | FY        | MB-05     | SEMINAR HALL                         | 177.69  | WB | LGF | 0 | 20 | 10 | 1  | 0 | 1 | 0 | Wi-Fi/LAN | 1 Audio System |
| 342 | FY        | -         | CORRIDOR                             | 85.65   | WB | LGF | 0 | 4  | 0  | 0  | 0 | 0 | 0 | Wi-Fi     | NA             |
| 343 | FY        | MB-01 (B) | WELDING & SHEET METAL SHOP           | 77.83   | WB | LGF | 0 | 5  | 4  | 0  | 0 | 0 | 0 | Wi-Fi     | NA             |
| 344 | FY        | -         | STORE                                | 10.67   | WB | LGF | 0 | 0  | 0  | 0  | 0 | 0 | 0 |           | NA             |
| 345 | FY        | MB-06 (A) | STORE                                | 11.03   | WB | LGF | 0 | 1  | 1  | 0  | 0 | 0 | 0 |           | NA             |
| 346 | FY        | MB-06 (B) | FACULTY ROOM                         | 10.59   | WB | LGF | 0 | 1  | 1  | 0  | 0 | 0 | 0 | Wi-Fi     | NA             |
| 347 | FY        | MB-06     | PHYSICS LAB                          | 74.66   | WB | LGF | 0 | 4  | 4  | 0  | 0 | 0 | 0 | Wi-Fi     | NA             |
| 348 | FY        | MB-06 (C) | DARK ROOM                            | 36.95   | WB | LGF | 0 | 2  | 2  | 0  | 0 | 0 | 0 |           | NA             |
|     |           |           |                                      |         |    |     |   |    |    |    |   |   |   |           |                |
| 349 | FY        | MG-01     | MESS                                 | 362.66  | WB | UGF | 0 | 20 | 22 | 0  | 0 | 0 | 0 | Wi-Fi     | NA             |
| 350 | FY        | MG-02     | COMPUTER PROGRAMMING LAB-1           | 61.2    | WB | UGF | 0 | 3  | 4  | 28 | 2 | 1 | 0 | Wi-Fi/LAN | NA             |
| 351 | FY        | MG-03     | COMPUTER PROGRAMMING LAB-1           | 35.97   | WB | UGF | 0 | 3  | 2  | 28 | 2 | 0 | 0 | Wi-Fi/LAN | NA             |
| 352 | FY        | MG-04     | TOILETS (STAFF & BOYS)               | 37.73   | WB | UGF | 0 | 1  | 0  | 0  | 0 | 0 | 0 |           | NA             |
| 353 | FY        | MG-05     | TOILETS (GIRLS)                      | 38.53   | WB | UGF | 0 | 1  | 0  | 0  | 0 | 0 | 0 |           | NA             |
| 354 | FY        | MG-06     | ENGG. GRAPHICS/ MACHINE DESIGN LAB-1 | 89.21   | WB | UGF | 0 | 4  | 5  | 0  | 0 | 0 | 0 | Wi-Fi     | NA             |
| 355 | FY        | -         | CORRIDOR                             | 64.84   | WB | UGF | 0 | 5  | 0  | 0  | 0 | 0 | 0 | Wi-Fi     | NA             |

|     |    |           |                                      |       |    |     |   |   |   |    |   |   |   |           |                |
|-----|----|-----------|--------------------------------------|-------|----|-----|---|---|---|----|---|---|---|-----------|----------------|
| 356 | FY | MG-09 (D) | FACULTY ROOM                         | 11.4  | WB | UGF | 0 | 1 | 1 | 2  | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 357 | FY | MG-09 (A) | FACULTY ROOM                         | 12.11 | WB | UGF | 0 | 1 | 1 | 2  | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 358 | FY | MG-08 (D) | FACULTY ROOM                         | 13.62 | WB | UGF | 0 | 1 | 1 | 1  | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 359 | FY | MG-08 (A) | FACULTY ROOM                         | 19.13 | WB | UGF | 0 | 0 | 0 | 0  | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 360 | FY | MG-09 (C) | FACULTY ROOM                         | 14.23 | WB | UGF | 0 | 1 | 1 | 1  | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 361 | FY | MG-09 (B) | FACULTY ROOM                         | 14.91 | WB | UGF | 0 | 1 | 1 | 2  | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 362 | FY | MG-08 (C) | FACULTY ROOM                         | 15.58 | WB | UGF | 0 | 0 | 0 | 0  | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 363 | FY | MG-08 (B) | FACULTY ROOM                         | 21.93 | WB | UGF | 0 | 0 | 0 | 0  | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 364 | FY | MG-07     | ENGG. GRAPHICS/ MACHINE DESIGN LAB-2 | 89.21 | WB | UGF | 0 | 4 | 5 | 0  | 0 | 0 | 0 | Wi-Fi     | NA             |
|     |    |           |                                      |       |    |     |   |   |   |    |   |   |   |           |                |
| 365 | FY | MF-01     | LECTURE HALL                         | 88.52 | WB | FF  | 0 | 7 | 9 | 0  | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 366 | FY | MF-02     | LANGUAGE LAB                         | 75.67 | WB | FF  | 0 | 4 | 4 | 30 | 2 | 1 | 0 | Wi-Fi/LAN | 1 Audio System |
| 367 | FY | MF-03     | BASIC CE LAB                         | 77.43 | WB | FF  | 0 | 3 | 5 | 0  | 0 | 0 | 0 | Wi-Fi     | NA             |
| 368 | FY | MF-03 (A) | STORE                                | 10.24 | WB | FF  | 0 | 1 | 1 | 0  | 0 | 0 | 0 |           | NA             |
| 369 | FY | MF-04     | FACULTY ROOM                         | 10.55 | WB | FF  | 0 | 1 | 1 | 0  | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 370 | FY | MF-05     | TOILETS (BOYS AND GENTS)             | 37.73 | WB | FF  | 0 | 1 | 0 | 0  | 0 | 0 | 0 |           | NA             |
| 371 | FY | MF-06     | TOILETS (GIRLS AND LADIES)           | 38.53 | WB | FF  | 0 | 1 | 0 | 0  | 0 | 0 | 0 |           | NA             |
| 372 | FY | MF-07     | LECTURE HALL                         | 89.21 | WB | FF  | 0 | 6 | 9 | 0  | 0 | 0 | 0 | Wi-Fi     | NA             |
| 373 | FY | -         | CORRIDOR                             | 93.66 | WB | FF  | 0 | 4 | 0 | 0  | 0 | 0 | 0 | Wi-Fi     | NA             |
| 374 | FY | MF-12     | LECTURE HALL                         | 88.52 | WB | FF  | 0 | 6 | 9 | 0  | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 375 | FY | MF-11 (D) | FACULTY ROOM                         | 18.46 | WB | FF  | 0 | 2 | 2 | 2  | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 376 | FY | MF-11 (A) | FACULTY ROOM                         | 13.07 | WB | FF  | 0 | 1 | 1 | 1  | 0 | 0 | 0 | Wi-Fi/LAN | 1 Printer      |
| 377 | FY | MF-11 (C) | FACULTY ROOM                         | 21.26 | WB | FF  | 0 | 1 | 2 | 1  | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 378 | FY | MF-11 (B) | FACULTY ROOM                         | 15.87 | WB | FF  | 0 | 1 | 1 | 1  | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 379 | FY | -         | CORRIDOR                             | 25.46 | WB | FF  | 0 | 2 | 0 | 0  | 0 | 0 | 0 | Wi-Fi     | NA             |
| 380 | FY | MF-10 (A) | FACULTY ROOM                         | 12.11 | WB | FF  | 0 | 1 | 1 | 1  | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 381 | FY | MF-10 (B) | FACULTY ROOM                         | 14.91 | WB | FF  | 0 | 1 | 1 | 2  | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 382 | FY | MF-09 (D) | FACULTY ROOM                         | 13.62 | WB | FF  | 0 | 1 | 1 | 2  | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 383 | FY | MF-09 (C) | FACULTY ROOM                         | 15.58 | WB | FF  | 0 | 1 | 1 | 1  | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 384 | FY | MF-09 (A) | FACULTY ROOM                         | 19.13 | WB | FF  | 0 | 2 | 1 | 2  | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 385 | FY | MF-09 (B) | FACULTY ROOM                         | 21.93 | WB | FF  | 0 | 2 | 1 | 1  | 0 | 0 | 0 | Wi-Fi/LAN | 1 Printer      |
| 386 | FY | MF-08     | LECTURE HALL                         | 89.21 | WB | FF  | 0 | 6 | 9 | 0  | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
|     |    |           |                                      |       |    |     |   |   |   |    |   |   |   |           |                |
| 387 | FY | MS-01     | LECTURE HALL                         | 88.52 | WB | SF  | 0 | 4 | 5 | 0  | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 388 | FY | MS-02     | BASIC EE LAB                         | 76.55 | WB | SF  | 0 | 4 | 4 | 1  | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 389 | FY | MS-03     | NSP LAB                              | 61.01 | WB | SF  | 0 | 4 | 4 | 0  | 0 | 0 | 0 | Wi-Fi     | NA             |
| 390 | FY | MS-04     | ZIRCON LAB                           | 37.54 | WB | SF  | 0 | 3 | 2 | 1  | 0 | 0 | 0 | Wi-Fi/LAN | NA             |
| 391 | FY | MS-05     | BOYS TOILET                          | 37.73 | WB | SF  | 0 | 1 | 0 | 0  | 0 | 0 | 0 |           | NA             |
| 392 | FY | MS-06     | GIRLS TOILET                         | 38.53 | WB | SF  | 0 | 1 | 0 | 0  | 0 | 0 | 0 |           | NA             |
| 393 | FY | MS-07     | LECTURE HALL                         | 89.21 | WB | SF  | 0 | 5 | 5 | 0  | 0 | 0 | 0 | Wi-Fi     | NA             |
| 394 | FY |           | CORRIDOR                             | 93.66 | WB | SF  | 0 | 4 | 0 | 0  | 0 | 0 | 0 | Wi-Fi     | NA             |

|     |           |           |                                                                   |        |     |    |    |   |   |    |   |   |   |           |    |
|-----|-----------|-----------|-------------------------------------------------------------------|--------|-----|----|----|---|---|----|---|---|---|-----------|----|
| 395 | FY        | MS-12     | LECTURE HALL                                                      | 88.52  | WB  | SF | 0  | 7 | 5 | 0  | 0 | 0 | 0 | Wi-Fi/LAN | NA |
| 396 | FY        | MS-11 (D) | FACULTY ROOM                                                      | 18.46  | WB  | SF | 0  | 2 | 2 | 0  | 0 | 0 | 0 | Wi-Fi/LAN | NA |
| 397 | FY        | MS-11 (A) | FACULTY ROOM                                                      | 13.07  | WB  | SF | 0  | 1 | 1 | 1  | 0 | 0 | 0 | Wi-Fi/LAN | NA |
| 398 | FY        | MS-11 (C) | FACULTY ROOM                                                      | 21.26  | WB  | SF | 0  | 1 | 2 | 3  | 0 | 0 | 0 | Wi-Fi/LAN | NA |
| 399 | FY        | MS-11 (B) | FACULTY ROOM                                                      | 15.87  | WB  | SF | 0  | 1 | 1 | 1  | 0 | 0 | 0 | Wi-Fi/LAN | NA |
| 400 | FY        | MS-10     | SERVER ROOM                                                       | 11.39  | WB  | SF | 0  | 1 | 1 | 0  | 0 | 0 | 0 | Wi-Fi/LAN | NA |
| 401 | FY        | MS-09 (B) | FACULTY ROOM                                                      | 11.39  | WB  | SF | 0  | 1 | 1 | 0  | 0 | 0 | 0 | Wi-Fi/LAN | NA |
| 402 | FY        | MS-09     | PHYSICS LAB                                                       | 74.21  | WB  | SF | 0  | 5 | 4 | 0  | 0 | 0 | 0 | Wi-Fi     | NA |
| 403 | FY        | MS-09 (A) | DARK ROOM                                                         | 38.9   | WB  | SF | 0  | 2 | 2 | 0  | 0 | 0 | 0 |           | NA |
| 404 | FY        | MS-08     | LECTURE HALL                                                      | 89.21  | WB  | SF | 0  | 5 | 5 | 0  | 0 | 0 | 0 | Wi-Fi     | NA |
|     |           |           |                                                                   |        |     |    |    |   |   |    |   |   |   |           |    |
| 405 | FY        | MT-01     | LECTURE HALL                                                      | 88.52  | WB  | TF | 0  | 7 | 9 | 0  | 0 | 0 | 0 | Wi-Fi     | NA |
| 406 | FY        | MT-02     | CHEMISTRY LAB-I                                                   | 75.67  | WB  | TF | 0  | 3 | 4 | 0  | 0 | 0 | 0 | Wi-Fi     | NA |
| 407 | FY        | MT-03     | CHEMISTRY LAB-II                                                  | 77.43  | WB  | TF | 0  | 3 | 5 | 0  | 0 | 0 | 0 | Wi-Fi     | NA |
| 408 | FY        | MT-03 (A) | STORE                                                             | 10.24  | WB  | TF | 0  | 1 | 1 | 0  | 0 | 0 | 0 |           | NA |
| 409 | FY        | MT-04     | FACULTY ROOM                                                      | 10.55  | WB  | TF | 0  | 1 | 1 | 1  | 0 | 0 | 0 | Wi-Fi/LAN | NA |
| 410 | FY        | MT-05     | BOYS TOILET                                                       | 37.73  | WB  | TF | 0  | 1 | 0 | 0  | 0 | 0 | 0 |           | NA |
| 411 | FY        | MT-06     | GIRLS TOILET                                                      | 38.53  | WB  | TF | 0  | 1 | 0 | 0  | 0 | 0 | 0 |           | NA |
| 412 | FY        | MT-07     | LECTURE HALL                                                      | 89.21  | WB  | TF | 0  | 7 | 9 | 0  | 0 | 0 | 0 | Wi-Fi     | NA |
| 413 | FY        | -         | CORRIDOR                                                          | 93.66  | WB  | TF | 0  | 4 | 0 | 0  | 0 | 0 | 0 | Wi-Fi     | NA |
| 414 | FY        | MT-12     | LECTURE HALL                                                      | 88.52  | WB  | TF | 0  | 7 | 9 | 0  | 0 | 0 | 0 | Wi-Fi     | NA |
| 415 | FY        | MT-11     | TUTORIAL                                                          | 37.54  | WB  | TF | 0  | 2 | 2 | 0  | 0 | 0 | 0 | Wi-Fi     | NA |
| 416 | FY        | MT-10     | TUTORIAL                                                          | 38.13  | WB  | TF | 0  | 2 | 2 | 0  | 0 | 0 | 0 | Wi-Fi     | NA |
| 417 | FY        | -         | CORRIDOR                                                          | 25.46  | WB  | TF | 0  | 1 | 0 | 0  | 0 | 0 | 0 | Wi-Fi     | NA |
| 418 | FY        | MT-10 (A) | FACULTY ROOM                                                      | 12.11  | WB  | TF | 0  | 1 | 1 | 0  | 0 | 0 | 0 | Wi-Fi     | NA |
| 419 | FY        | MT-10 (B) | FACULTY ROOM                                                      | 14.91  | WB  | TF | 0  | 1 | 1 | 0  | 0 | 0 | 0 | Wi-Fi     | NA |
| 420 | FY        | MT-09     | HUMAN VALUE LAB                                                   | 78.97  | WB  | TF | 0  | 4 | 4 | 0  | 0 | 0 | 0 | Wi-Fi     | NA |
| 421 | FY        | MT-08     | LECTURE HALL                                                      | 89.21  | WB  | TF | 0  | 7 | 9 | 0  | 0 | 0 | 0 | Wi-Fi     | NA |
|     |           |           |                                                                   |        |     |    |    |   |   |    |   |   |   |           |    |
| 422 | CE        | WL-10     | ADDITIONAL WORKSHOP<br>CONCRETE LAB (CIVIL)                       | 202.15 | WSB | GF | 10 | 0 | 8 | 0  | 0 | 0 | 0 | Wi-Fi     | NA |
| 423 | Institute | WL-01 (A) | RTU CENTER OF EXCELLENCE<br>ARTIFICIAL INTELLIGENCE &<br>BIG DATA | 112.86 | WSB | GF | 13 | 4 | 0 | 4  | 2 | 1 | 0 | Wi-Fi/LAN | NA |
| 424 | EE        | WL-08     | HIGH VOLTAGE LAB                                                  | 67.59  | WSB | GF | 0  | 4 | 5 | 0  | 0 | 0 | 0 | Wi-Fi     | NA |
| 425 | Institute | WL-       | ARTIFICIAL INTELLIGENCE LAB-<br>2 & IOT LAB                       | 71.89  | WSB | GF | 5  | 0 | 0 | 42 | 2 | 1 | 2 | Wi-Fi/LAN | NA |
| 426 | Institute | WL-       | ARTIFICIAL INTELLIGENCE LAB-<br>1                                 | 147.75 | WSB | GF | 10 | 0 | 0 | 88 | 4 | 1 | 2 | Wi-Fi/LAN | NA |
| 427 | Institute | WL-       | TOILET (LADIES)                                                   | 7.98   | WSB | GF | 0  | 1 | 0 | 0  | 0 | 0 | 0 |           | NA |
| 428 | Institute | WL-       | TOILET (GENTS)                                                    | 7.59   | WSB | GF | 0  | 1 | 0 | 0  | 0 | 0 | 0 |           | NA |
| 429 | Institute | WL-       | STORE ROOM                                                        | 15.99  | WSB | GF | 3  | 0 | 0 | 0  | 0 | 0 | 0 |           | NA |
| 430 | Institute | -         | COORIDOR                                                          | 25.69  | WSB | GF | 0  | 2 | 0 | 0  | 0 | 0 | 1 | Wi-Fi     | NA |
| 431 | Institute | -         | COORIDOR                                                          | 12.59  | WSB | GF | 0  | 1 | 0 | 0  | 0 | 0 | 1 | Wi-Fi     | NA |

**Dr. Mahesh Bundale**  
B.E., M.E., Ph.D.

Director

Peernima College of Engineering  
ISI-0, RICO Institutional Area  
Ghatapada, JAIPUR

|              |           |           |                          |        |     |    |     |      |      |     |    |    |    |           |                            |
|--------------|-----------|-----------|--------------------------|--------|-----|----|-----|------|------|-----|----|----|----|-----------|----------------------------|
| 432          | Institute | WL-04     | RTU CENTER OF EXCELLENCE | 78.19  | WSB | GF | 5   | 3    | 0    | 0   | 2  | 0  | 0  | Wi-Fi/LAN | NA                         |
| 433          | Institute | WL-       | ENTRANCE LOBBY           | 43.76  | WSB | GF | 0   | 2    | 2    | 0   | 0  | 0  | 0  | Wi-Fi     | NA                         |
| 434          | Institute | WL-12 (A) | COUNSELLING HALL         | 146.56 | WSB | GF | 8   | 0    | 9    | 0   | 4  | 0  | 2  | Wi-Fi     | NA                         |
| 435          | Institute | WL-02     | LOBBY                    | 69.97  | WSB | GF | 1   | 5    | 7    | 2   | 2  | 0  | 2  | Wi-Fi     | 1 TV                       |
| 436          | Institute | WL-03     | DIRECTOR ADMISSIONS      | 35.16  | WSB | GF | 2   | 0    | 1    | 1   | 1  | 0  | 0  | Wi-Fi/LAN | 1 Printer                  |
| 437          | Institute | WL-01     | ADMIN OFFICE             | 35.16  | WSB | GF | 0   | 3    | 2    | 4   | 1  | 0  | 1  | Wi-Fi/LAN | 1 Scanner, 1 Xerox Machine |
| <b>Total</b> |           |           |                          |        |     |    | 211 | 1074 | 1099 | 983 | 72 | 32 | 72 |           |                            |

  
**Dr. Mahesh Bundele**  
 B.E., M.E., Ph.D.  
 Director  
 Poornima College of Engineering  
 ISI-0, PILCO Institutional Area  
 Sitapura, JAIPUR